


VG2448A-2\_H2 - 24" DUAL PACK HEAD-ONLY 1080P IPS MONITORS WITH HDMI, DP, AND VGA


## **Key Features**

- 24 Inch Full HD (1920x1080p) IPS monitors with 60Hz refresh rate
- Sold as a dual pack without monitor stands for easy dual-screen installation
- Flicker-Free technology and a Blue Light Filter for reduced eye fatigue
- Eco-friendly easy-open box for streamlined monitor setup
- Optimized view settings offers "Game" "Movie," "Web" "Text" and "Mono" presets
- The VG2448a\_H2 supports laptops, PCs, Macs and more with HDMI, USB, DisplayPort and VGA inputs










IPS PANEL



 $\begin{array}{c} 1920 \times 1080 \\ \textbf{RESOLUTION} \end{array}$ 



## Product **Description**

Skyrocket productivity and optimize your workflow with the ViewSonic® VG2448a-2\_H2 dual monitor pack. Featuring hassle-free installation and long-term reliability, this dual monitor solution substantially lowers your total cost of ownership. And with biodegradable packaging and VESA-compatible mounting, you can cut easily cut down on waste and do your part to contribute to a greener planet.

Featuring a 3-sided ultra-thin bezel, the VG2448a-2\_H2 provides a seamless multi-monitor viewing experience that dramatically increases visual clarity and helps to reduce eye strain. And with SuperClear® IPS panel technology, you can enjoy wide-angle viewing and vibrant, true-to-life colors.

Connect your favorite devices with ease using the HDMI, DisplayPort, VGA and USB inputs.

Upgrade your setup and enhance productivity with the ViewSonic® VG2448a-2\_H2 dual monitor pack today.

## Specifications

More Information	
UPC	766907021370
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit + A-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type A	4
USB Type B	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	14.9W
Eco Mode (optimized)	16.9W
Consumption (typical)	19.3W
Consumption (max)	56.0W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No

**Kensington Lock Slot Physical Controls** Key 1 (eye), Key 2, Key 3, Key 4, Key 5, Key 6 (power) On Screen Display Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu 32-104º F (0 - 40º C) **Temperature Humidity (non-condensing)** 20-90% **VESA Compatible** 100 x 100 mm **Frequency Horizontal** VGA, HDMI(1.4), DisplayPort: 24 ~ 82KHz VGA, HDMI(1.4), DisplayPort:  $50 \sim 75 \text{ Hz}$ **Frequency Vertical Height Adjust** 130 mm / 5.1 in 120⁰ Swivel 90º / 90º Pivot (Right/Left) Tilt (Forward/Back) 5º / 40º Net Without Stand (lbs) 14.1 Gross (lbs) 23.1 Net Without Stand (kg) 6.4 10.5 Gross (kg) 23.4 x 16.4 x 10.2 Packaging (in.) Physical (in.) 21.2 x 16.0~20.2 x 8.0 Physical Without Stand (in.) 21.2 x 12.6 x 2.0 620.0 x 417.0 x 260.0 Packaging (mm) Physical Without Stand (mm) 539.0 x 320.0 x 52.0 Regulations cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy LCD Display x2, Power Cable x2, DP to DP Cable x1, HDMI Cable x1, USB 3.0 Upstream Cable x2, Quick Start **Package Contents** Guide x1 Recycle/Disposal Please dispose of in accordance with local, state or federal laws. Warranty Three-year limited warranty on parts, labor and backlight

UPC: 766907021370







Contact Sales
ViewSonic.com

888.881.8781
email:
salesinfo@viewsonic.com