


## VA3209M - 32" 1080P IPS 75HZ MONITOR WITH HDMI, VGA


### Key Features

---


- 32 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 75Hz refresh rate
  - Flicker-Free technology and Blue Light Filter for reduced eye fatigue
  - Variable Refresh Rate enables smooth frame rates to aid you in battle
  - Optimized view settings offer "Game," "Movie," "Web," "Text," and "Mono" presets
  - The VA3209M supports laptops, PCs, Macs and more with HDMI and VGA inputs
- 



32  
DISPLAY



IPS  
PANEL



1920 x 1080  
RESOLUTION



### Product Description

---

Get the bigger picture with the ViewSonic® VA3209m home office monitor.

Featuring an expansive 32" (31.5" viewable) display with SuperClear® IPS panel technology, this immersive monitor delivers stunning brightness and contrast at almost any viewing angle.

With a minimalist edge-to-edge screen and a three-sided frameless bezel, creating a seamless multi-monitor setup has never been easier.

Connect laptops, PCs, gaming consoles and other multimedia devices to this 32" monitor via HDMI or VGA.

And with state-of-the-art features like flicker-free technology and a blue light filter, you can work or play for longer with less eye strain.

Enjoy a three-year limited warranty and an industry-leading pixel performance guarantee with the ViewSonic VA3209M Full HD 1080p monitor.

### Specifications

---

| More Information    |              |
|---------------------|--------------|
| UPC                 | 766907022810 |
| Screen Size         | 32           |
| Viewable Area (in.) | 31.5         |

|                                    |                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------|
| <b>Panel Type</b>                  | IPS                                                                                 |
| <b>Display Resolution</b>          | 1920 x 1080                                                                         |
| <b>Display Resolution</b>          | Full HD (1920x1080)                                                                 |
| <b>Static Contrast Ratio</b>       | 1,200:1                                                                             |
| <b>Dynamic Contrast Ratio</b>      | 50,000,000:1                                                                        |
| <b>Light Source</b>                | LED                                                                                 |
| <b>Brightness</b>                  | 250 cd/m2                                                                           |
| <b>Colors</b>                      | 16.7M                                                                               |
| <b>Color Space Support</b>         | 8 bit true                                                                          |
| <b>Aspect Ratio</b>                | 16:9                                                                                |
| <b>Response Time (Typical GTG)</b> | 4ms                                                                                 |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical                                                      |
| <b>Backlight Life (Hours)</b>      | 30,000                                                                              |
| <b>Panel Surface</b>               | Anti-Glare (Semi-Glossy) type, Hardness 2H                                          |
| <b>Refresh Rate</b>                | 75Hz                                                                                |
| <b>PC Resolution (max)</b>         | 1920 x 1080                                                                         |
| <b>Mac® Resolution (max)</b>       | 1920 x 1080                                                                         |
| <b>3.5mm Audio Out</b>             | 1                                                                                   |
| <b>VGA</b>                         | 1                                                                                   |
| <b>HDMI 1.4 In</b>                 | 1                                                                                   |
| <b>Internal Speakers</b>           | 2.5W (x2)                                                                           |
| <b>Eco Mode (Conserve)</b>         | 25w                                                                                 |
| <b>Eco Mode (optimized)</b>        | 29w                                                                                 |
| <b>Consumption (typical)</b>       | 34w                                                                                 |
| <b>Consumption (max)</b>           | 39w                                                                                 |
| <b>Voltage</b>                     | 100-240 VAC, 50-60Hz                                                                |
| <b>Stand-by</b>                    | 0.5w                                                                                |
| <b>Power Supply</b>                | External                                                                            |
| <b>Cable Organization</b>          | No                                                                                  |
| <b>Kensington Lock Slot</b>        | 1                                                                                   |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                 | 32-104º F (0 - 40º C)                                                               |
| <b>Humidity (non-condensing)</b>   | 20-90%                                                                              |
| <b>VESA Compatible</b>             | 100 x 100 mm                                                                        |
| <b>Frequency Horizontal</b>        | 24 ~ 86 KHz                                                                         |

|                                     |                                                                    |
|-------------------------------------|--------------------------------------------------------------------|
| <b>Frequency Vertical</b>           | 48 ~ 75 Hz                                                         |
| <b>Tilt (Forward/Back)</b>          | 5° / 20°                                                           |
| <b>Net (lbs)</b>                    | 16.1                                                               |
| <b>Net Without Stand (lbs)</b>      | 13.4                                                               |
| <b>Gross (lbs)</b>                  | 20.3                                                               |
| <b>Net (kg)</b>                     | 7.3                                                                |
| <b>Net Without Stand (kg)</b>       | 6.1                                                                |
| <b>Gross (kg)</b>                   | 9.2                                                                |
| <b>Packaging (in.)</b>              | 30.3 " (W) x 20.1 " (H) x 4.9 " (D)                                |
| <b>Physical (in.)</b>               | 28.1 " (W) x 20.5 " (H) x 9.1 " (D)                                |
| <b>Physical Without Stand (in.)</b> | 28.1 " (W) x 16.8 " (H) x 2.3 " (D)                                |
| <b>Packaging (mm)</b>               | 770 mm (W) x 510 mm (H) x 125 mm (D)                               |
| <b>Physical (mm)</b>                | 714 mm (W) x 520 mm (H) x 231 mm (D)                               |
| <b>Physical Without Stand (mm)</b>  | 714 mm (W) x 428 mm (H) x 59 mm (D)                                |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, CEC                                        |
| <b>Package Contents</b>             | LCD Display, Power Cable, HDMI to HDMI Cable, Quick Start Guide    |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws. |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight          |

UPC: 766907022810



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)