

XG340C-2K: 34" ELITE 1440P 1MS 180HZ ULTRA-WIDE CURVED GAMING MONITOR WITH FREESYNCPREMIUM PRO, HDR400, HDMI 2.1

Key Features


- 34 Inch ultrawide 21:9 WQHD (3440x1440p) 1000R curved gaming monitor with 550-nits and thin bezels
- 180Hz (overclocked from 165Hz) refresh rate and 1ms (MPRT) response time for ultimate gaming experience
- AMD FreeSync Premium Pro technology enables fluid and tear-free gameplay
- Rich colors and high contrast certified by VESA DisplayHDR 400 delivers incredibly vivid and realistic imaging
- In addition to fast data, audio and video transfer, USB-C also provides quick 65W charging over a single cable
- Advanced ergonomics (tilt, swivel, and height) for all-day comfort
- The XG340C-2K supports laptops, PCs, Macs, PlayStation, and Xbox with HDMI 2.1, USB-C, and DisplayPort inputs




34
DISPLAY



MVA
PANEL



3440 x 1440
RESOLUTION



Product Description

"Immerse yourself in new worlds, lush landscapes and beautifully rendered battlefields with the 34" ViewSonic ELITE™ XG340C-2K curved gaming monitor. Experience ultra-smooth gameplay and enhanced graphics with a 1ms response time, a rapid-fire HDMI 2.1 connection and a blazing fast 180Hz (OC) display. AMD FreeSync™ Premium Pro automatically syncs the monitor and GPU outputs to effortlessly reduce screen tearing and lag. Streamline setup with an easy-to-use KVM switch that enables you to fluidly shift between devices. "

Specifications

More Information


Screen Size

34

Viewable Area (in.)	34
Panel Type	MVA
Display Resolution	3440 x 1440
Display Resolution	WQHD (3440x1440)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	120,000,000:1
Light Source	LED
Brightness	550 cd/m2
Colors	16.7M
Aspect Ratio	21:9
Response Time (Typical GTG)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
Curvature	1000R
Refresh Rate	165Hz
Adaptive Sync	AMD FreeSync™ Premium Pro
PC Resolution (max)	3440 x 1440
Mac® Resolution (max)	3440 x 1440
USB Type A	3
USB Type B	1
USB Type C	1
3.5mm Audio Out	1
HDMI 2.1 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	100 W
Eco Mode (optimized)	152 w/ Audio&USB W
Consumption (typical)	162 w/ Audio&USB W
Consumption (max)	190 w/ Audio&USB W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.3 W
Power Supply	External
Cable Organization	Yes
Headphone Hook	Yes
Kensington Lock Slot	1

Physical Controls	Joystick key: Up, Right, Down, Left, Center; Quick Access; Power
On Screen Display	Game Modes, Display, Input Select, ViewMode, Audio Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	HDMI (v2.1): 30 ~ 255 KHz / DisplayPort (v1.4): 30 ~ 270 KHz / Type C: 30 ~ 270 KHz
Frequency Vertical	HDMI (v2.1): 48 ~ 165 Hz / DisplayPort (v1.4): 48 ~ 180 Hz / Type C: 48 ~ 180 Hz
Net (lbs)	20.9
Net Without Stand (lbs)	14.6
Gross (lbs)	31.3
Net (kg)	9.5
Net Without Stand (kg)	6.6
Gross (kg)	14.2
Packaging (in.)	37 (W) x 27 (H) x 11.1 (D)
Physical (in.)	31.3 (W) x 18.94~23.66 (H) x 15.1 (D)
Physical Without Stand (in.)	31.3 (W) x 14.6 (H) x 5.9 (D)
Packaging (mm)	940 mm (W) x 685 mm (H) x 282 mm (D)
Physical (mm)	795 mm (W) x 481~601 mm (H) x 383 mm (D)
Physical Without Stand (mm)	795 mm (W) x 370 mm (H) x 150 mm (D)
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS
PACKAGE CONTENTS	XG340C-2K x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.1; Male-Male) x1, DisplayPort Cable (v1.4; Male-Male) x1, USB Type-C Gen2 Cable (Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1,
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907014723



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com