


TD2423D - 24" 1080P 10-POINT MULTI IR TOUCH MONITOR WITH HDMI, VGA, AND DP

Key Features


- 24 Inch Full HD (1920x1080p) LED touch monitor with 75Hz refresh rate
- Robust 10-point (infrared) IR touch technology feature for a natural touchscreen experience
- Freestanding tablet design with muted black finish, stable adjustable stand, and 7H scratch resistant surface
- Enjoy less eye strain and fatigue with flicker-free technology and a built-in blue light filter
- MacOS users can access touch and gesture controls on touch displays connected to their Apple devices using ViewSonic's vTouch driver. Not available for iPhone and iPad
- The TD2423d supports laptops, PCs, Macs and POS Systems with USB, HDMI, DisplayPort and VGA inputs



24
DISPLAY



MVA
PANEL



RESOLUTION





Product Description

Great for public kiosks, POS displays, and other retail and commercial applications, the ViewSonic® TD2423d is a 24" touch display with 10-point IR touch technology that lets users pinch, zoom and swipe for fast and intuitive navigation. With Full HD 1920x1080 resolution, 1000:1 static contrast ratio and 7H screen hardness, the TD2423d delivers sharp and bright images combined with durability for high-traffic applications. Flexible connectivity options include HDMI, DisplayPort, VGA, DVI, and a USB hub to connect your peripherals and accessories. VESA-mount compatibility offers additional convenience and flexibility for 3rd party stands and mounts. What's more, ViewSonic's exclusive ViewMode feature provides intuitive presets that deliver optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eyestrain from extended viewing periods for improved productivity. Whether in retail or deployed in a high-traffic commercial setting, its scratch-resistant surface stands up to heavy use and safeguards its high quality touch experience. Combine this display with ViewSonic's Android and Windows media players for a perfect kiosk solution.

Specifications

More Information	
Screen Size	24
Viewable Area (in.)	24
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bits
Aspect Ratio	16:9
Response Time (Typical GTG)	7ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
USB Type A	2
USB Type B	1
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Touch Technology	Infrared
Touch Points	10-Point Touch
Internal Speakers	2W (x2)
Eco Mode (Conserve)	14W
Eco Mode (optimized)	16W
Consumption (typical)	18W
Consumption (max)	21.5W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	1,2,3,4,5,6 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	24 ~ 82 KHz
Frequency Vertical	50 ~ 75 Hz
Tilt (Forward/Back)	22º / 38º
Net (lbs)	11.5
Net Without Stand (lbs)	10.3
Gross (lbs)	15.4
Net (kg)	5.2
Net Without Stand (kg)	4.7
Gross (kg)	7.0
Packaging (in.)	25.4 x 16.6 x 6.5
Physical (in.)	22.5 x 13.7 x 4.0
Physical Without Stand (in.)	22.5 x 13.7 x 2.4
Packaging (mm)	6445.0 x 422.0 x 166.0
Physical (mm)	571.0 x 348.0 x 101.0
Physical Without Stand (mm)	571.0 x 348.0 x 61.0
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
PACKAGE CONTENTS	TD2423d, Power Cable, HDMI cable, USB Type B Uplink Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
UPC: 766907011685	



Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com