



VIEWSONIC 24" 1080P ERGONOMIC 100HZ MONITOR WITH HDMI, DISPLAYPORT, AND USB HUB | VG2451

Key Features


- **FULL HD DISPLAY:** 24-inch 1080p screen with thin bezels and a smooth 100Hz refresh rate
- **ADVANCED ERGONOMICS:** Tilt, swivel, rotate, and adjust height for all-day comfort
- **QUICK RELEASE STAND:** Easy-to-install base with built-in handle and client mount support
- **ECO-FRIENDLY PACKAGING:** Simple, easy-open box for a faster, greener setup
- **VERSATILE CONNECTIVITY:** HDMI, DisplayPort, and VGA, with USB hub with USB-C, USB-A and USB-B for easy device integration



24
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® VG2451 is a 24" monitor that makes it easy to connect, no matter what system you're using. Featuring HDMI, DisplayPort, and VGA, it works seamlessly with both modern and legacy devices. With a built-in USB hub featuring USB-A, USB-B, and USB-C with 15W Power Delivery, you can effortlessly connect your peripherals. Plus, front-facing USB ports offer instant access for accessories when you need it most. The frameless IPS panel brings your work to life with vivid brightness, sharp contrast, and wide viewing angles. Whether you're collaborating or working solo, the screen looks great from almost any angle. Backed by a three-year limited warranty and one of the best pixel performance policies in the industry, the VG2451 delivers incredible value and peace of mind.

Specifications

	More Information
UPC	76690703445 5
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	350 cd/m2
Colors	16.7M
Color Space Support	6 bit + Hi-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	100Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type A	2
USB Type B	1
USB Type C	15W x 2
VGA	1
HDMI 1.4 (with CEC)	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	82w
Eco Mode (optimized)	85w
Consumption (typical)	88w
Consumption (max)	92w
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W

Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 1.4 = 24 ~ 110 KHz / VGA = 24 ~ 82 KHz / DisplayPort = 24 ~ 110 KHz
Frequency Vertical	HDMI 1.4 = 50 ~ 100 Hz / VGA = 50 ~ 75 Hz / DisplayPort = 50 ~ 100 Hz
Height Adjust	150 mm / 5.9 in
Swivel	90º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	5º / 30º
Regulations	cSGSus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
Net (lbs)	12.5
Net Without Stand (lbs)	7.6
Gross (lbs)	17.2
Net (kg)	5.7
Net Without Stand (kg)	3.4
Gross (kg)	7.8
Packaging (in.)	23.6 x 16.1 x 5.6
Physical (in.)	21.21 x 15.84~19.89 x 8.08
Physical Without Stand (in.)	21.21 x 12.5 x 1.76
Packaging (mm)	600 x 410 x 143
Physical (mm)	538.8 x 402.32~505.22 x 205.27
Physical Without Stand (mm)	538.8 x 317.51 x 44.75
Package Contents	LCD Display, Power Cable, HDMI Cable, USB-A/B Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 76690703445 5	



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com