



VX2718-PC-MHD - 27" OMNI CURVED 1080P 1MS 165HZ GAMING MONITOR WITH ADAPTIVE SYNC

Key Features

- 27 Inch Full HD (1920x1080p) 1500R curved gaming monitor with thin bezels
- 165Hz refresh rate and 1ms MPRT response time (with DisplayPort) for ultimate gaming experience
- Adaptive Sync technology enables fluid and tear-free gameplay
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- The VX2718-PC-MHD supports laptops, PCs and Macs with HDMI and DisplayPort inputs



27
DISPLAY



MVA
PANEL



1920x1080
RESOLUTION



Product Description

With an immersive 1500R curved screen and Full HD 1080p resolution, the ViewSonic® VX2718-PC-MHD monitor provides an incredible viewing experience for work or play. With features including a high 165Hz* refresh rate, 1ms (MPRT) response time and adaptive sync technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX2718-PC-MHD also comes equipped with ViewSonic exclusive ViewMode™ presets, which offer optimized screen performance for different home entertainment applications such as watching movies, editing files, or playing video games. Two HDMI (v1.4) inputs, and one DisplayPort (v1.2) input offers flexible connectivity for both general use and entertainment. *165Hz refresh rate with DisplayPort

Specifications

More Information	
Screen Size	27
Viewable Area (in.)	27
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit+FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Curvature	1500R
Refresh Rate	165Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	17W
Eco Mode (optimized)	21W
Consumption (typical)	27W
Consumption (max)	30W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	Key 1 (power), Key 2, Key 3, Key 4, Key 5 (favorite)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	HDMI (v1.4): 30 ~ 160 KHz, DisplayPort (v1.2): 30 ~ 193 KHz
Frequency Vertical	HDMI (v1.4): 48 ~ 144 Hz, DisplayPort (v1.2): 48 ~ 165 Hz
Digital Sync	TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2)
Tilt (Forward/Back)	5º / 20º
Net (lbs)	8.6
Net Without Stand (lbs)	7.3
Gross (lbs)	12.1
Net (kg)	3.9
Net Without Stand (kg)	3.3
Gross (kg)	5.5
Packaging (in.)	27.0 x 17.4 x 6.1
Physical (in.)	24.0 x 18.7 x 8.8
Physical Without Stand (in.)	24.0 x 14.3 x 2.9
Packaging (mm)	687.0 x 443.0 x 156.0
Physical (mm)	611.0 x 475.0 x 225.0
Physical Without Stand (mm)	611.0 x 363.0 x 75.0
Regulations	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy
PACKAGE CONTENTS	VX2718-PC-MHD, Power Cable, AC/DC Adapter, DisplayPort Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
UPC: 766907007299	



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781 📞
email:
salesinfo@viewsonic.com