




# HP Translucent Bond Paper



## The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.

### HP large format printing materials



## Ideal for day-to-day production

### A cost-effective alternative to vellum

Work through more complex drawings and maps with this lightweight, translucent paper designed for reproducible fine-line drawings and check reprints.

### Provide clear direction with crisp lines

Present your work in dense blacks and sharp, crisp lines and text. The base makes this paper ideal for reproducible fine-line drawings including diazo and xerographic reprints.

### Deliver on time, on budget

Get the results you expect with the first print. HP printing materials are designed together with Original HP inks and your HP DesignJet printer to provide consistent, quality results.

Target customers	Applications	Benefits
Design professionals	Drawings and maps	Crisp black and color line quality
Engineering professionals	Architectural	A cost-effective alternative to vellum
	CAD	Lightweight, translucent paper
	GIS	Ideal for day-to-day production
Recyclable through commonly available recycling programs <sup>1</sup>		



## Technical specifications

### HP Translucent Bond Paper

For the latest ICC profiles/paper presets, please visit [HPLMedia.com/hp/paperpresets](https://HPLMedia.com/hp/paperpresets).

<b>Ink compatibility</b>	Original HP pigment- and dye-based inks, and Original HP Latex inks			
<b>Weight</b>	63 g/m <sup>2</sup> per ISO 536 Test Method			
<b>Thickness</b>	71 microns/2.8 mil per ISO 534 Test Method			
<b>Opacity</b>	77% per TAPPI T-425 Test Method			
<b>Brightness</b>	90 per TAPPI T-452 Test Method			
<b>Whiteness</b>	113 per CIE Ganz 82 Test Method			
<b>Finish</b>	Matte			
<b>Operating temperature</b>	15 to 30° C / 59 to 86° F			
<b>Operating humidity</b>	20 to 80% RH			
<b>Dry time</b>	Less than 2 minutes (at 23° C, 50% RH)			
<b>Lamination</b>	Yes, cold			
<b>Shelf life</b>	1 year, unopened in original packaging			
<b>Storage temperature</b>	15 to 30° C / 59 to 86° F			
<b>Storage humidity</b>	20 to 80% RH			
<b>Environmental</b>	Recyclable through commonly available recycling programs <sup>1</sup>			
<b>Country of origin</b>	Product of United States			
<b>Ordering information</b>	<b>Product numbers</b>	<b>Roll sizes</b>	<b>UPC Codes</b>	<b>Region</b>
	C3860A	610 mm x 45,7 m (24 in x 150 ft)	848412013603	Americas, Asia
	C3859A	914 mm x 45,7 m (36 in x 150 ft)	848412013610	Americas, Asia

### Warranty

HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see [HPLMedia.com/mediawarranties](https://HPLMedia.com/mediawarranties). To obtain warranty service, please contact Brand Management Group customer support at [HPLMedia.com/hp/en/contactus](https://HPLMedia.com/hp/en/contactus).

<sup>1</sup> Can be recycled through commonly available recycling programs.



For detailed information on the HP large format printing materials portfolio and to order, see [globalBMG.com/hp/](https://globalBMG.com/hp/)

© 2023 Hewlett-Packard Development Company. © 2023 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of Hewlett-Packard Company and is used by Brand Management Group on license from Hewlett-Packard Company.

June 2023

