





VX4381-4K - 43" 4K UHD MONITOR WITH HDR10, HDMI AND DISPLAYPORT

Key Features


- 43 Inch 4K UHD (3840x2160p) MVA monitor with thin bezels and 60Hz refresh rate
- Supports multi-tasking and simultaneous viewing of up to 4 video sources at Full HD 1080p resolution
- HDR10 content support for deep contrast, rich color, and vibrant details
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- The VX4381-4K supports laptops, PCs, and Macs with HDMI, USB, DisplayPort, and Mini DisplayPort inputs



43
DISPLAY



MVA
PANEL



3840 x 2160
RESOLUTION



Product Description

Designed with productivity in mind, the ViewSonic® VX4381-4K combines incredible 4K resolution, a sleek narrow-bezel design, and an expansive 43" (42.5" viewable) screen so you can see all and do all from a single monitor. Featuring an MVA panel and 3840x2160 resolution, this monitor offers best-in-class screen performance with incredibly sharp and detailed visuals, while HDR10 content support delivers a high dynamic range of vivid color and contrast. Flexible and versatile for any office application ranging from document editing to graphic design, the VX4381-4K includes connectivity options such as DisplayPort 1.4, mini DisplayPort 1.4, DisplayPort Out, HDMI 2.0, and 3-USB ports. ViewSonic's MultiPicture™ functionality allows for efficient multitasking by providing simultaneous viewing of up to four split windows, while full ergonomic functionality delivers maximum comfort and enhanced productivity. With an energy-saving Eco-mode feature and ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment, delivering great power savings while boosting productivity for a variety of business applications.

Specifications

More Information	
Screen Size	43
Viewable Area (in.)	42.5
Panel Type	MVA
Display Resolution	3840 x 2160
Display Resolution	4K (3840x2160)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	120,000,000:1
Light Source	LED
Brightness	450 cd/m2
Colors	1.07B
Color Space Support	10 bit (8 bit + FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Viewing Angles	178º horizontal, 178º vertical
PC Resolution (max)	3840 x 2160
Mac® Resolution (max)	3840 x 2160
USB Type A	4
USB Type B	1
HDMI 2.0 In	2
DisplayPort	1
DisplayPort Out	1
Mini DisplayPort	1
Internal Speakers	7W (x2)
Eco Mode (Conserve)	63W
Eco Mode (optimized)	81W
Consumption (typical)	102W
Consumption (max)	157W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Shortcut: Input Selet, ViewMode, Multi-Picture, Power

On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	200 x 100 mm
Frequency Horizontal	24 ~ 160 KHz
Frequency Vertical	50 ~ 75 Hz
Tilt (Forward/Back)	5° / 23°
Net (lbs)	37.5
Net Without Stand (lbs)	27.8
Gross (lbs)	47.4
Net (kg)	17.0
Net Without Stand (kg)	12.6
Gross (kg)	21.5
Packaging (in.)	46.9 x 27.6 x 9.7
Physical (in.)	38.5 x 26.0 x 13.6
Physical Without Stand (in.)	38.5 x 22.3 x 2.3
Packaging (mm)	1190.0 x 700.0 x 247.0
Physical (mm)	977.0 x 660.0 x 345.0
Physical Without Stand (mm)	977.0 x 567.0 x 58.0
Regulations	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy
PACKAGE CONTENTS	VX4381-4K Display, Power Cable, HDMI cable, mini DP to DP cable, USB Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
UPC: 766907011289	



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781
email:
salesinfo@viewsonic.com