


VX3418C-2K - 34" 21:9 CURVED 1440P 1 MS 180 HZ GAMING MONITOR WITH FREESYNC PREMIUM

Key Features


- **CURVED DESIGN:** 34" ultrawide 21:9 WQHD (2560x1440p) 1500R curved gaming monitor with thin bezels
- **MAXIMIZED GAMEPLAY:** 180 Hz refresh rate and 1 ms MPRT response time (with DisplayPort) for ultimate gaming experience
- **ULTRA-SMOOTH GAMING:** FreeSync Premium technology enables fluid and tear-free gameplay
- **ENHANCED VIEWING COMFORT:** Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- **GAME ON:** An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- **FLEXIBLE CONNECTIVITY:** Two DisplayPort (v 1.4) and Two HDMI (v 2.0) inputs help you connect your devices
- **ERGONOMICS:** Enjoy enhanced comfort with features including swivel, height adjust and tilt



34
DISPLAY



MVA
PANEL



3440 x 1440
RESOLUTION



Product Description

Featuring an immersive 1500R curved screen and stunning WQHD 3440 x 1440 resolution, the 34" ViewSonic® VX3418C-2K monitor is built to level up the way you work and play. With features including a rapid-fire 180 Hz* refresh rate, 1 ms (MPRT) response time and AMD FreeSync™ Premium technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX3418C-2K also comes equipped with ViewSonic's exclusive ViewMode™ presets, which offer optimized screen performance for different home entertainment applications such as watching movies, editing files, or playing video games. A 34" display with a 21:9 aspect ratio delivers more screen space for enhanced multitasking and immersive cinematic experiences alike. Two HDMI (v 2.0) inputs and two DisplayPort (v 1.4) inputs offer flexible connectivity for all of your favorite devices. Plus, with advanced ergonomic features such as swivel, height adjustment, and tilt, this monitor adapts to your preferred setup so you can play for longer in greater comfort. *180Hz refresh rate with DisplayPort only.

Specifications

| | More Information |
|------------------------------------|--|
| Screen Size | 34 |
| Viewable Area (in.) | 34 |
| Panel Type | MVA |
| Display Resolution | 3440 x 1440 |
| Display Resolution | WQHD (3440x1440) |
| Static Contrast Ratio | 4,000:1 |
| Dynamic Contrast Ratio | 80,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 6 bit+FRC |
| Aspect Ratio | 21:9 |
| Response Time (Typical GTG) | 2ms |
| Response Time (MPRT) | 1ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Curvature | 1500R |
| Refresh Rate | 180Hz |
| PC Resolution (max) | 3440 x 1440 |
| Mac® Resolution (max) | 3440 x 1440 |
| 3.5mm Audio Out | 1 |
| HDMI 2.0 In | 2 |
| DisplayPort | 2 |
| Internal Speakers | 5W (x2) |
| Eco Mode (Conserve) | 37W |
| Eco Mode (optimized) | 44W |
| Consumption (typical) | 51W |
| Consumption (max) | 65W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | Internal |
| Kensington Lock Slot | 1 |

| | |
|-------------------------------------|---|
| Physical Controls | Up, Right, Down, Left, Power |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | HDMI: 30 ~ 170 KHz, DisplayPort: 30 ~ 250 KHz |
| Frequency Vertical | HDMI: 48 ~ 100 Hz, DisplayPort: 48 ~ 180 Hz |
| Height Adjust | 120 mm / 4.7 in |
| Swivel | 60° |
| Tilt (Forward/Back) | 5° / 25° |
| Regulations | cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy |
| Net (lbs) | 26.7 |
| Net Without Stand (lbs) | 12.4 |
| Gross (lbs) | 32.0 |
| Net (kg) | 12.1 |
| Net Without Stand (kg) | 5.6 |
| Gross (kg) | 14.5 |
| Packaging (in.) | 39.0 x 18.6 x 6.7 |
| Physical (in.) | 31.81 x 16.19~20.92 x 11.39 |
| Physical Without Stand (in.) | 31.81 x 14.33 x 4.6 |
| Packaging (mm) | 990.0 x 472.0 x 170.0 |
| Physical (mm) | 808.0 x 411.41~531.41 x 289.42 |
| Physical Without Stand (mm) | 808.0 x 363.92 x 116.93 |
| Package Contents | VX3418C-2K Display, Power Cable, DisplayPort Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |



Contact Sales
ViewSonic.com

888.881.8781
 email:
salesinfo@viewsonic.com