#### Data sheet

# HP Color LaserJet Enterprise MFP M681 series



This HP Color LaserJet MFP merges performance, energy efficiency, and the deepest security.

This HP Color LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.



HP Color LaserJet Enterprise Flow MFP M681f



HP Color LaserJet Enterprise Flow MFP M681z



HP Color LaserJet Enterprise MFP M681dh



HP Color LaserJet Enterprise MFP M681f

#### The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions

#### High speed performance meets energy efficiency

- Scanning is now faster than ever; scan to SharePoint and more.
- This MFP wakes up fast and prints your first page faster—in as quickly as \_\_\_\_ seconds.
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.9
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

### More Pages, Performance, and Protection⁴

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per color cartridge vs predecessor.<sup>4</sup>
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.5

#### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wist hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims <sup>2</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP 657X High Yield Color Original LaserJet Toner Cartridges in HP 657X High Yield Color Original LaserJet Toner Cartridges not included; please purchase separately. <sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. <sup>5</sup> HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin. <sup>6</sup> Energy claim based on TEC data reported on energystar, gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.

# Product walkaround

- 1. Hardware Integration Pocket<sup>1</sup>
- 2. Easy-access USB port2
- 3. 1,000-sheet 3-bin stapler/stacker with offset job printing (Flow z models only)
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 550-sheet tray 2
- 7. 3x550-sheet paper feeder and stand<sup>3</sup>
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage<sup>4</sup>
- 9. 8.0-inch (20.3 cm) icon-based color touchscreen
- 10. Pull-out keyboard4
- 11. 100-sheet multipurpose tray 1
- 12. Lower-right door (access to print path)
- 13. Front door access to toner cartridges
- 14. Fax port⁵
- 15. Slot for cable-type security lock
- 16. Built-in Gigabit Ethernet
- 17. Hi-Speed USB 2.0 printing port
- 18. USB port for connecting external USB devices

# 1 9 9 10 10 11 11 12 4 15 16

HP Color LaserJet Enterprise Flow MFP M681z

# Front view

Close-up of I/O ports

# Series at a glance









**-** 18

Model	HP Color LaserJet	HP Color LaserJet	HP Color LaserJet	HP Color LaserJet	
	Enterprise Flow MFP Enterprise Flow MFP Enter		Enterprise MFP M681dh	interprise MFP M681dh Enterprise MFP M681f	
	M681f	M681z			
Product number	J8A12A	J8A13A	J8A10A	J8A11A	
Print speeds (letter/A4) <sup>6</sup>	Up to 50/47 ppm	Up to 50/47 ppm	Up to 50/47 pages per minute (ppm)	Up to 50/47 ppm	
Fax capabilities	$\checkmark$	$\checkmark$	Optional	√	
100-sheet tray 1, 550 <b>-</b> sheet tray 2	$\checkmark$	$\checkmark$	$\checkmark$	√	
550-sheet paper feeder	Optional (up to two)	Not available	Optional (up to two) <sup>7</sup>	Not available	
550-sheet paper feeder with stand and cabinet	Optional	Not available	Optional <sup>7</sup>	√	
3x550-sheet paper feeder and stand	Optional	$\checkmark$	Optional <sup>7</sup>	Not available	
1x550-sheet/2,000-sheet HCl feeder and stand	Optional	Not available	Optional <sup>7</sup>	Not available	
3-bin stapler/stacker with offset job printing	Not available	$\sqrt{}$	Not available	Not available	
Advanced workflow features including	$\checkmark$	$\checkmark$	Not available	Not available	
pull-out keyboard					
Direct mobile printing	Optional wireless direct <sup>7</sup> /NFC <sup>8</sup>	Optional wireless direct <sup>7</sup> /NFC <sup>8</sup>	Optional wireless direct <sup>®</sup> /NFC <sup>®</sup>	Optional wireless direct <sup>7</sup> /NFC <sup>8</sup>	
Wireless networking	Optional <sup>10</sup>	Optional <sup>10</sup>	Optional <sup>11</sup>	Optional <sup>10</sup>	

# **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

#### Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

# Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc













# Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 50 pages per minute<sup>3</sup>, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your MFP using Original HP Toner cartridges with JetIntelligence.4

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories					
P1B09A	HP Color LaserJet 550-sheet Paper Feeder				
P1B10A	HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet				
P1B11A	HP Color LaserJet 3x550-sheet Paper Feeder with Stand				
P1B12A	HP Color LaserJet 1x550/2000-sheet Feeder and Stand				
J8031A	HP Jetdirect 2900nw Print Server				
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory				
F5S62A HP Trusted Platform Module Accessory					
B5L28A	HP Internal USB Ports				
B5L31A	HP Foreign Interface Harness				
E5K48A	HP 1GB DDR3 x32 144-Pin 800MHz SODIMM				
CC487A	HP LaserJet MFP Analog Fax Accessory 500				
Supplies					
CF450A	HP 655A Black Original LaserJet Toner Cartridge (~12,500 yield)				
CF470X	HP 657X High Yield Black Original LaserJet Toner Cartridge (~28,000 yield)				
CF451A	HP 655A Cyan Original LaserJet Toner Cartridge (~10,500 yield)				
CF471X	HP 657X High Yield Cyan Original LaserJet Toner Cartridge (~23,000 yield)				
CF452A	HP 655A Yellow Original LaserJet Toner Cartridge (~10,500 yield)				
CF472X	HP 657X High Yield Yellow Original LaserJet Toner Cartridge (~23,000 yield)				
CF453A	HP 655A Magenta Original LaserJet Toner Cartridge (~10,500 yield)				
CF473X	HP 657X High Yield Magenta Original LaserJet Toner Cartridge (~23,000 yield)				
Services					
U9NP3E	HP 3 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP M68x				
U9NP6E	HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise MFP M68x				
U9NX1PE	HP 1 year Post Wty NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP M68x				
U9NX3PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP M68x				

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims <sup>2</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboususupplies <sup>3</sup> HP 657X High Yield Original LaserJet Toner Cartridges purchase separately. <sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. <sup>5</sup> HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin. <sup>6</sup> Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.

# HP Color LaserJet Enterprise MFP M681 series

Technical Specifications AIO functions	HP Color LaserJet Enterprise Flow MFP M681f (J8A12A)  Print, copy, scan, fax; AlO n		HP Color LaserJet Enterprise MFP M681dh (J8A10A)  Print, copy, scan; AlO multitasking supported: Yes	HP Color LaserJet Enterprise MFP M681f (J8A11A)  Print, copy, scan, fax; AIO multitasking supported: Yes		
Print speed						
Print resolution	A4: Up to 47 ppm; Letter: Up to 50 ppm black; Up to 47 ppm; Letter: Up to 50 ppm color <sup>11</sup> ; First Page Out Black: As fast as 6.5 sec; First Page Out Color: As fast as 6.5 sec <sup>13,14</sup> Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi					
Print Technology	Laser; Print Resolution Technologies: The ImageRet 3600; 600 x 600 dp; HP ProRes 1200 (1200 x 1200 dp); Pantone® Calibrated					
Print Cartridges Number		4 (1 each black, cya	n, magenta, yellow)			
Standard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)					
Printer Smart Software Features			1, 6, 9, 16), collation, watermarks, store print jobs, easy-acc			
Printer Management	HP JetAdvantage Security Ma		; HP WS Pro Proxy Agent; Printer Administrator Resource K	it for HP Universal Print Driver		
Scan Type / Technology Scan Resolution			yy: Charge Coupled Device (CCD)			
Scan File Format	Digital Send: DDE Hi-Compression DDE IDEG TIEF MTIEF	Hardware: Up to 600 x 600 XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR),	- · · · · · · · · · · · · · · · · · · ·	FF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF,		
Scarrice of the	Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (O MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RT	(OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, F (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), s USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)		JSB: PDF, PS, Print Ready files (.prn, .pcl, .cht)		
Scan Input Modes		work Folder; Save to USB; Save to Device Memory; Save applications; HP Scan or user application via TWAIN	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN		
Scan Size		7 mm; 2.7 x 5.8 in Minimum; <b>Flatbed:</b> 216 x 356 mm; Up to a to 83 ppm/167 ipm (color)		7 mm; 2.7 x 5.8 in Minimum; <b>Flatbed:</b> 216 x 356 mm; Up to to 69 ppm/111 ipm (color)		
Scan Speed	Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (co	lor) <sup>18</sup> ; <b>Duplex:</b> Up to 167 ipm (b&w), up to 167 ipm (color)	Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color) <sup>18</sup> ; <b>Duplex:</b> Up to 111 ipm (b&w), up to 111 ipm (color)			
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Oul dpi; Auto detect color; Edge Erase; Job notification; Blar	tput quality setting; Selectable scan resolution 75 to 600 ik page suppression; HP Quick Sets; HP EveryPage; Auto cognition (OCR), Auto crop to page; Auto-tone , TIF, MTIF	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets PDF, JPG, TIF, MTIF			
Bit depth / Grayscale levels Digital Sending Standard	Scan to E-mail: Save to Network Folder: Save to 1959 d	24-bi rive; Send to Sharepoint; Send to FTP; Send to LAN Fax;	t/ 256 Scan to E-mail; Save-to-Network Folder; Save-to-USB	Scan to E-mail; Save-to-Network Folder; Save-to-USB		
Features	Scart to te-thair, Save-to-Newton Folder; Save-to-Use to Send to Internet Fax; Local Address Book; SMTP over SSL; Crop To Content; Compact PDF; Auto Tonescale; Auto Orie Page; OCR	Blank Page Removal; Edge Erase; Auto Color Sense; Auto	Scali to E-Hall, Save-to-Network Folder, Save-to-OSB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scali to E-Hall, Save-to-NetWork Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF		
Copy Speed	Black (A4): Up to 47 cpm; Color (A4): Up to 47 cpm <sup>15</sup>					
Copy Resolution	Black (text and Graphics): Up to 600 × 600 dpi; Color (text and Graphics): Up to 600 × 600 dpi					
Maximum Number of Copies Copier Settings	Up to 9999  Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness). N-up, Nor Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)					
Fax Speed	Up to: 33			<b>Up to:</b> 33.6 kbps		
Fax Resolution	<b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for	received faxes only); <b>Black (standard):</b> 203 x 98 dpi		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi		
Fax Smart Software Features		o fit; Fax address book; LAN/Internet fax; Fax number liday fax schedule		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		
Fax Features	Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Eax Phone TAM Interface Supported: No; Fax Polling Supported: No; Junk Barrier Supported: No; Fax Polling Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No			Fax Memory. Up to 500 pages; Auto Fax Reduction Supported: Ves; Auto-Redaling: Ves; Fax Delayed Sending No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Ves (poll to receive only): Fax Telephone Mode Supported: No; Junk Barrier Supported: Ves; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Ves; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No		
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax		1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax		
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print se		000Base-T; 802.3az (EEE) support on Fast Ethernet and Gi	-		
			g (optional).			
Network Ready			n Gigabit Ethernet)			
Wireless Capability  Mobile Printing Capability	Uptiona		ver J8031A or HP Jetdirect 3000w NFC/Wireless Accessory	J8030A		
Memory Capability	Standard: 1.5 GB (printer): 1.1	7 17		MR (scanner): Maximum: 2.5 GR		
Processor Speed	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB  1.2 GHz / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)					
Duty Cycle	Monthly, As: Up to 100,000 pages Recommended Monthly Page Volume: 2000 to 14,000					
Paper Handling	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets standard; MP Tray. Up to 10 erwelopes (or 10mm stack height) labels legal; Output Capacities:  500-sheet output tray, two-sided printing; Up to 500 Sheets standard labels legal; Duplex Options; Automatic (standard); Auto Document Feeder Capacity; Standard, 150 sheets; Ervelope Feeder: No; Standard Paper Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported: Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in, Optional 550-sheet trays: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 520-sheet trays: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 540-sheet trays: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input trays 2.3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets standard; MP Tray: Up to 10 envelopes (or 10mm stack height) labels legal; Output Capacities: 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets standard labels legal; Duplex Options: Automatic (standard); Auto Document Feeder Capacity; Standard, 150 sheets; Envelope Feeder: No. Standard Paper Trays: 5; Media Types Supported: Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, exts heavy, glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported: Tray 1: 16 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (njan 32 to 58 lb (glossy); Media Sizes Supported: Tray 1: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3, 4, 5: 18 to 8.5 x 14 in; Trays 2, 3, 4, 5: 8 x 5.83 to 8.5 x 14 in	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets standard; MP Tray: Up to 10 envelopes (or 10mm stack height) labels legal; Output Capacities:  500-sheet output tray, two-sided printing; Up to 500 sheets standard labels legal; Ouplex Options; Automatic (standard); Auto Document Feeder Capacity; Standard, 150 sheets; Envelope Feeder: No; Standard Paper Trays; 2; Medal Types Supported; Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported; Tray 1: 16 to 5 lb (plain) 32 to 58 lb (glossy); Meda Sizes Supported; Tray 1: 16 to 5 lb (plain) 32 to 58 lb (glossy); Meda Sizes Supported; Tray 1: 18 tre; legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays: letter; legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays: letter; legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity fray: letter; legal, executive,	Input Capacities: 100-sheet multi-purpose tray, 550-shee input trays 2, 3, 150-sheet automatic document feeder; Up to 1200 sheets standard; MP Tray: Up to 10 envelope (or 10mm stack height) labels legal; Output Capacities: 500-sheet output tray, two-sided printing; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard): Auto Document Feeder Capacity; Standard, 15 sheets; Erwelope Feeder: No; Standard Paper Trays: 3; Media Types Supported: Paper (plain, light, bond, recycler mid-weight, heavy, mid-weight glossy, leavy glossy, extheavy, extra heavy glossy, cardstock, card glossy); color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported: Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3: 16 to 90 lb (plain) 32 to 58 lb (glossy); Media Sizes Supported: Tray 1: letter, legal, executive, statement, Officio, 3 x 5 in, 4 n (in, 5 x 7 in, 5 x 8 in; melapses (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x 14 in		

# HP Color LaserJet Enterprise MFP M681 series

Technical Specifications	HP Color LaserJet Enterprise Flow MFP M681f (J8A12A)	HP Color LaserJet Enterprise Flow MFP M681z (J8A13A)	HP Color LaserJet Enterprise MFP M681dh (J8A10A)	HP Color LaserJet Enterprise MFP M681f (J8A11A)		
Product Dimensions	WxDxH: 20.08 x 21.85 x 25.91 in; 510 x 555 x 658 mm <b>Maximum:</b> 37.91 x 30.31 x 35.83 in; 963 x 770 x 910	<b>WxDxH</b> : 25.87 x 25.87 x 50.00 in; 657 x 657 x 1270 mm <b>Maximum</b> : 39.06 x 38.07 x 60.20 in; 992 x 967 x 1529	<b>WxDxH:</b> 20.08 x 21.85 x 25.91 in; 510 x 555 x 658 mm <b>Maximum:</b> 37.91 x 30.31 x 35.83 in; 963 x 770 x 910	<b>W x D x H:</b> 25.87 x 25.87 x 43.62 in; 657 x 657 x 1108 mm <b>Maximum:</b> 39.06 x 37.32 x 53.54 in; 992 x 948 x 1360		
	mm	mm	mm	mm		
Product Weight	94.4 lb <sup>4</sup> ; 42.8 kg <sup>3</sup>	168.1 lb <sup>4</sup> ; 76.3 kg <sup>3</sup>	93.2 lb <sup>4</sup> ; 42.3 kg <sup>3</sup>	135.4 lb <sup>4</sup> ; 61.5 kg <sup>3</sup>		
What's in the box	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with					
	software drivers and documentation; Documentation (Hardware Install Guide); Power cord <sup>2</sup>					
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.					
Energy Efficiency Compliance	ENERGY STAR® qualified; CECP; EPEAT® Silver	ENERGY STAR® qualified; CECP; EPEAT® Silver; EPEAT® Gold (Options AAZ; 201)	ENERGY STAR® qualifie			
Control Panel		hscreen; rotating (adjustable angle) display; illuminated he Home menu); Pull-out Keyboard	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)			
Display Description	8.0-in (20.3 cm) Colo	r Graphics Display (CGD) with touchscreen; rotating (adjusta	ble angle) display; illuminated Home button (for quick retu	rn to the Home menu)		
Software Included	HP Connected, HP Device Experience (DXP), HP PCL	6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Ma	c OS Welcome Screen (Directs users to 123.HP.com or OS	App Source for printer software), Online user manuals		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts					
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Debian (7.0, 4.1, 5.1), Chook, 16.10), Os macros (10.1), Carrier, OS X 10.10, 11.1 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (windows 8/8.1 all 32-bit editions (Windows 8/8.1 all 32-bit editions (Windows 8/8.1 all 32-bit editions). Windows 8/8.1 all 32-bit editions (Windows 10.1), Carrier, OS X 10.10,					
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008R2 SP1, Citrix on Windows Server 2012 and 264-bit, Citrix Senapp 5.0,6,5/17.5 [for Windows Server 2008 Ferminal Services, 32- and 64-bit, Citrix Senapp 5.0,6,5/17.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix Senapp 5.0,6,5/17.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Citrix Xenapp 5.6,6/5,7/5. [for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Citrix Xenapp 5.6,7/6,7/5. [for Windows Server 208 R2 SP1 Terminal Services, 32- and 64-bit, Citrix Xenapp 5.6,7/6,7/5. [for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Citrix Xenapp 5.6/5/SP8 Novell Cients www.novell.com/print, Novell Pope Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/print, Windows Server 2003/2003 R2 32-64-bit (SP1/SP2) Standard/Enterprise (Patacenter + Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (Patacenter + Cluster & Terminal Services), Windows Server 2008 R2					
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info					
Power	Power Supply Type: Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/-3Hz), 6 A; Power Consumption: 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual Off, 0.1 (Manual Off, 0.2 (Manual Off, 0.2 (Manual Off, 0.3 (Manual					
Acoustics	Acoustic Power Emissions; 6.6 B(A); Acoustic Pressure Emissions; 52 dB(A)					
Operating Environment	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17.5 to 25°C; Storage Temperature Range: -20 to 40°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH					
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: iPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 iPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs					

# Learn more at hp.com





<sup>&</sup>lt;sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage. <sup>3</sup> With print cartridges <sup>4</sup> With print cartridges <sup>5</sup> Work printing conditions and usage. <sup>3</sup> With print cartridges <sup>4</sup> With print cartridges <sup>4</sup> With print cartridges <sup>4</sup> With print cartridges <sup>5</sup> Wover requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device. <sup>6</sup> Dower requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. <sup>7</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disablet. <sup>8</sup> Average color composite (C/M/N) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on measurement of 115V device. <sup>7</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disablet. <sup>8</sup> Average color composite (C/M/N) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on measurement of 115V device. <sup>7</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting. <sup>8</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies on the system configuration, visit http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies