

One Charger, Two Devices

Meet the high wattage power demands of your laptop with an advanced charging solution that features 100 W of USB-C[®] power and an additional 10 W USB-A port for simultaneously charging a phone, tablet, or whatever else you need to power¹. Replace your original or have a spare for the home or office.





Fast, Dynamic Charging

Power through your day with a fast, universal¹ laptop charger that delivers a huge 110 W of juice. Light and compact, it's an ideal travel companion that also offers dynamic charging (5V, 9V, 15V or 20V) based on device needs.

*Product image may differ from actual product



Simultaneous Multi-Device Charging

Tap into 100W of USB-C[®] power and an additional 10W USB-A port for simultaneously charging a phone or tablet. Works across Windows[®], Mac[®] and Chrome platforms for maximum flexibility.



High Power. Lower Impact.

Compliant with the latest IEC 62368-1 safety standard, and tested with strict industry standards, this laptop charger incorporates multiple safeguards to protect you and your devices against surge, overcharging, overcurrent, and overheating. Plus, it contains 30% post-consumer recycled materials² and comes in recyclable packaging³.

Charges Almost Anything

Bring your power-hungry devices and charge quickly via a USB-C[®] cord and/or USB-A port. Supports almost any device and brand across Windows[®], Mac[®], and Chrome.¹

Multi-Device Charging

Say goodbye to tangled cords and carrying multiple chargers. Now you can simultaneously charge multiple devices (laptop, phone, tablet) with just one advanced charging solution.¹

Dynamic Charging

Dynamic power management (5V, 9V, 15V or 20V) matches device needs, minimizes charging times and reduces energy consumption.

36-Month Warranty

Experience HP quality and reliability and for added peace of mind, this laptop charger comes with a 36-month warranty.







Product number	8B3YZAA
Compatibility	Supports up to 100 W power delivery
UPC number	197029878496
Connection type	USB Type-C®; USB Type-A
Input frequency	47-63 Hz
Input operating current	1.6 A at 90 VAC max
Input efficiency	89% min at 115 VAC/230 VAC at 20V/3.25A
Output power	Up to 110 W
Output voltages	5V/9V/12V/15V/20V
Hold-up time	5 ms at 115 VAC input
Output current limit	6.25 A max
Cable length	1 m (power cable); 1.8 m (non-detachable USB-C [®] cable)
System Requirements, Minimum	USB Type-C [®] port
Certifications and compliances	CE Mark; IEC 60950-1; EN 60950-1; UL 60950-1; C-UL-US; DENAN; FCC Class B; CISPR 32 Class B; CCC; NOM-1 NYCE; NORDICS; MTBF; EN55032 Class B; EN62368-1; UL 62368-1; IL 600950
What's in the box	AC power adapter USB Type-C® cable 1 Power Cord Warranty Card ¹
Dimensions (W x D x H)	136 x 60 x 22 mm
Weight	365 g
Sustainable impact specifications	30% post-consumer recycled plastic; Packaging is recyclable
Operating temperature range	0 to 35°C; 32 to 95°F
Storage temperature range (Celsius)	-20 to 85°C
Storage temperature range (Fahrenheit)	-4 to 185°F
Over-voltage protection	201/: 291
Operating humidity range	5 to 95%
Operating altitude (metric)	Up to 5,000 m

Messaging Footnotes

¹ Compatible with most devices that charge using USB-C[®].
² Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT[®] standard.
³ Recycling facilities not available in all locations.

Technical Specifications Footnotes

 1 The USB Type-C $^{\otimes}$ cable is attached to the AC power adapter itself and cannot be removed.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. September 2023

