

Product data sheet

Specifications



Roof Fan Tray 120VAC 50/60HZ for NetShelter SX 600mm Wide 1070mm Deep Enclosures

ACF501

⚠ To be discontinued

⚠ To be discontinued on: Aug 30, 2024

⚠ To be end-of-service on: Dec 31, 2027

Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation	The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.
Lead time	Usually in Stock

Main

Main Input Voltage	115 V
Input Connection Type	NEMA 5-15P
Number of cables	1
Provided equipment	Installation guide

Physical

Color	Black
Height	2.4 in (6 cm)
Width	22.6 in (57.4 cm)
Depth	35.2 in (89.3 cm)
Net Weight	18.54 lb(US) (8.41 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Input Frequency	50/60 Hz
-----------------	----------

Conformance

Product Certifications	PSE
Standards	CSA C22.2 No. 60950 UL 60950

Environmental

Air flow	440 ft³/min (207.7 l/s)
----------	-------------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Audible noise at 1 meter from surface of unit	51 dBA
---	--------

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304234678
Returnability	No
Country of origin	TH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.0 in (15.2 cm)
Package 1 Width	39.02 in (99.1 cm)
Package 1 Length	29.5 in (74.9 cm)
Package 1 Weight	26.5 lb(US) (12 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Reach Free Of Svhc

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)