FX-89011

DATASHEET / BROCHURE





Nine-pin dot matrix printer offering faster printing, outstanding reliability and extremely low TCO.

The FX-890II is a high-volume, low TCO 80-column dot matrix printer designed for fast, reliable printing. A contemporary new design and small footprint make upgrading easy and add a range of new features for unprecedented flexibility.

Market-leading print speeds1

The FX-890II offers an improved USD (ultra speed draft) speed of 735 characters per second at 12 characters per inch, making a real difference to high-volume print runs such as stock reports and large batches of invoices or freight documents.

Outstanding reliability

Epson's dot matrix technology is already mature and very reliable, and these new printers improve the mean time between failure by 25% to 25,000 power-on hours, ideal for challenging conditions or where regular maintenance is not practical.

Modern design

Epson's new range of dot matrix printers have a refreshingly modern design to fit in with your working environment.

KEY FEATURES

- Market-leading print speeds
 Complete high-volume print runs even faster
- Very low TCO
 Cheap, long-lasting consumables and low power use
- Even better reliability
 Improved by 25% to 25,000 power-on hours
- Modern design
 Fits with your working environment
- Energy Star compliant
 To ensure the best possible energy efficiency



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method Impact dot matrix
Number of Pins 9 pins
Number of columns 80 columns
Pins 18 Needles (2 x 9)

PRINT

Printing Speed HighSpeed-Draft: 10 cpi: 612 chars/s, Draft: 10 cpi: 463 chars/s, NLQ: 10 cpi: 115 chars/s
Barcodes Coda bar (NW-7), Code 128, Code 39, Industrial 2 of 5, Matrix 2 of 5, POSTNET, UPC-A, UPC-E

Carbon Copies 6 plus one original

Character Sets 42

Character Tables PCAPTEC, PC437, PC720, PC850, PC858, ISO-8859-15, Roman 8, Italic

Printing Resolution 240 x 144 DPI

CONNECTIVITY

Interfaces USB - compatible with USB 2.0 specification, Bidirectional parallel

PAPER / MEDIA HANDLING

Document Feed Single sheet front and rear, Continuous media front and rear, Paper output rear

Paper Formats Sheet Paper (single- and multi-layer), Continuous Paper (single- and multi-layer), Envelopes,

Cardboard

Paper Thickness Continuous 0.46 mm

₽aper

Paper Thickness Label Base 0.46 mm

Sheet

Paper Thickness Multi Part 0.12 mm - 0.46 mm Paper Thickness Single Sheet 0.06 mm - 0.14 mm

GENERAL

Power consumption 54 Watt, 0.5 Watt (economy), 8 Watt (standby)

Supply Voltage AC 198 V - 264 V

Product dimensions 414 x 375 x 177 mm (Width x Depth x Height)

Product weight 7.2 kg

Supported Temperature Operation 5° C - 35° C, Storage - 30° C - 60° C Supported Humidity Operation 10% - 80%, Storage 30% - 60%

Mean Time Between Failures 25,000 hours

Print Head Life 400 Million Strokes/Wire

Fonts Bitmap font EPSON Draft (10 CPI, 12 CPI, 15 CPI), Bitmap font EPSON OCR-B (10 CPI),

Bitmap font EPSON Roman (10 CPI, 12 CPI, 15 CPI, Proportional), Bitmap font EPSON Sans

Serif (10 CPI, 12 CPI, 15 CPI, Proportional)

Noise Level Operation (Roll): 55 dB (A)
Ribbon Yield 7500000 characters Black Draft

OTHER FEATURES

Emulations ESC/P, IBM PPDS Input Data Buffer 128 kB

OTHER

Warranty 12 months Carry in

Optional warranty extension available

FX-890II

WHAT'S IN THE BOX

- Driver and utilities (CD)
- User guide
- AC cable
- Ribbon



SUPPLIES

• Epson SIDM Black Ribbon Cartridge for FX-890, FX-890A (C13S015329)

FX-890II

C13S015329

OPTIONAL ACCESSORIES

- Pull Tractor Unit C12C933761
- Epson SIDM Paper Roll Holder for LX-300+II/1170II, FX-890/A, FX-2190, LQ-690/300+II series C12C811141
- Epson SIDM Single Sheet Feeder 150 sheets for LQ-590, FX-890/A C12C806382
- Epson SIDM Single Sheet Feeder 50 sheets for FX-890/A, LX/LQ-300+II, LQ-590 C12C806372

LOGISTICS INFORMATION

SKU	C11CF37402
EAN code	8715946634494
Country of Origin	Indonesia
Layer	2 Units
Layer Block	4 Units

For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at https://www.epson.co.uk/contactus
* 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie

 Speeds compared with published specifications for directly competing products, May 2017.

